

ReadMe for WedgeLink

Version 2.0.1.126

The RS232 Link to Windows Applications

© 1997-2007 MicroRidge Systems, Inc. All rights reserved.

This document includes updated information for the documentation provided with WedgeLink. The information in this document and in the Help system is more up-to-date than that in the manuals. Many of the issues outlined in this document will be corrected in upcoming releases.

Contents

- Part 1 Technical Support & Company Information
- Part 2 System Requirements
- Part 3 Evaluation Program
- Part 4 Known Problems & Workarounds
- Part 5 History

Part 1 Technical Support & Company Information

MicroRidge Systems, Inc.
P.O. Box 3249
56888 Enterprise Dr
Sunriver, OR 97707-0249

Technical Support:
(541) 593-1656
8:00 a.m. to 4:30 p.m. Pacific time

Web: www.microridge.com
E-mail: support@microridge.com

(541) 593-1656 FAX 593-5652
8:00 a.m. to 4:30 p.m. Pacific time

Part 2 System Requirements

The system requirements for WedgeLink are as follows:

- 5 MB of free disk space
- 1 or more available serial ports
- Windows 2000 or Windows XP. WedgeLink is not supported on any Windows 9x (95, 98, ME) operating system.
- Contact MicroRidge if you need to use WedgeLink on Microsoft Vista..
- Each configuration file takes approximately 97K of disk space.

Part 3 Evaluation Program

If this is an evaluation copy of WedgeLink, you will have a limited time period to use

the program to see if it meets your requirements. All of the features contained in the single machine license version of WedgeLink are also contained in the evaluation version.

The evaluation period is typically 10 days and the evaluation period starts when the program is first run. You cannot extend the evaluation period by uninstalling and then reinstalling WedgeLink. If you decide you want to upgrade to a single machine license, give us a call or place your order online at www.microridge.com.

Part 4 Known Problems & Workarounds

There are no known problems with WedgeLink.

Part 5 History

Ver 2.0.1.105 (2-24-05)

Original release of WedgeLink Standard version 2.

Ver 2.0.1.106 (3-18-05)

Original release of WedgeLink Lite version 2.

Bug fixes:

1. The end-of-packet character for serial port B could not be changed
2. If you saved a file with the Save As command and then saved it with the Save command, the setup data may get saved in the previously used filename.

Ver 2.0.1.109 (10-14-05)

Modifications made to WedgeLink program to allow for reseller private label.

Ver 2.0.1.110 (10-21-05)

Additional modifications made to WedgeLink program to allow for reseller private label.

Ver 2.0.1.111 (11-11-05)

Additional modifications made to WedgeLink program to allow for reseller private label.

Enhancements:

1. Added menu item to the File menu for viewing predefined configuration file descriptions. These descriptions are save as PDF files.
2. Added menu item to the File menu for opening the predefined configuration files.

Ver 2.0.1.112 (11-16-05)

Enhancements:

1. Added splash screen dialog for describing the predefined configuration files.

Ver 2.0.1.113 (12-8-05)

Bug fix:

1. Formatted text rather than just plain text could be copied into the windows in the parsing Label and Test tabs.

Ver 2.0.1.120 (6-20-06)

Minor changes to support the private label versions of WedgeLink.

Ver 2.0.1.121 (2-5-07)

Changed the output file permissions from shareDenyNone to shareExclusive when send data to a target file.

Ver 2.0.1.122 (4-10-07)

The configuration file permissions prevented upgrading the WedgeLink version 1 configuration files to version 2.

Ver 2.0.1.123 (6-4-07)

The Help/Contact MicroRidge Systems menu item had been disabled while testing a previous version of WedgeLink.

Ver 2.0.1.125 (7-30-07)

Added the following delay time to the send commands:

- 1 hour
- 2 hours
- 4 hours
- 8 hours
- 16 hours
- 24 hours
- 48 hours

Ver 2.0.1.126 (10-4-07)

Bug fix:

1. If the registry description for a serial port was longer than 50 characters, WedgeLink would not recognize that serial port and any subsequent serial ports.